

Pressure Reducing Valves



Clorius
Controls A/S

- ensures reliable
control of heating, cooling
and ventilation systems.

Pressure Reducing Valves type

Application

This unit is designed for maintaining the pressure downstream of the valve to an adjusted set point value.

Characteristics

- Exact regulating accuracy
- Nominal pressure PN 25 / PN 40
- Self-acting
- Easy to use

Design

The pressure reducing valve is a self acting unit consisting of:

- Valve
- Two or three springs
- Diaphragm in the actuator
- One capillary tube on upper side of the actuator
- Compensation chamber (for steam applications)

Function

The medium flows through the free area between the seat and cone in the direction indicated by the arrow on the body. The position of the valve cone determines the flow rate and consequently the pressure ratio across the valve.

The downstream pressure is transmitted through the compensation chamber and the capillary to the diaphragm, where it is converted into a positioning force. This positioning force is adjusting the cone with dependence on the force of the operating springs. The spring force can be adjusted by using the set point adjuster.

The valve cone is pressure balanced.

The fluid pressure acts onto the bottom and top surfaces of the cone at the same time. In this way, the forces produced by the fluid pressure on the cone, are compensated.

G1PR and H1PR


Specifications

Type	Flange connection DN in mm	k_{vs} -value m ³ /h	Lifting height mm	Weight kg
15 G/H1PR	15	2.75	6	21
20 G/H1PR	20	5	6.5	23
25 G/H1PR	25	7.5	7	24
32 G/H1PR	32	12.5	8	27
40 G/H1PR	40	20	9	29
50 G/H1PR	50	30	10	33
65 G/H1PR	65	50	13	38
80 G/H1PR	80	80	16	55

Set point range	bar	0.4 - 1.2	0.8 - 2.5	2 - 5	4.5 - 10	8 - 16
-----------------	-----	-----------	-----------	-------	----------	--------



Installation example



Complete control systems

Clorius Controls offers a complete range of tested and reliable equipment for control of heating, cooling and ventilation systems, all with the purpose of achieving the highest reliability and saving energy.

Specialists in selected areas



Maritime industry

Certified valves, thermostats and electric actuators



Industry

Valves and thermostats for the regulation of heating, cooling and process heat



Controllers

Clorius Controls offers a wide range of electronic controllers for heating, cooling and ventilation systems. The controllers are available for systems in the maritime industry, general industry, institutions and residences. Clorius Controls offers controllers for simple stand-alone solutions or for larger BMS-plants.

Control valves

Clorius valves are simple and reliable for regulation of temperature and pressure differences in heating, cooling and ventilation systems for maritime industry, general industry, institutions and residences.



Electric valve actuators

Clorius Controls offers a large program of conventional regulation actuators and analogue actuators. This includes special actuators for maritime use, which are designed to withstand vibrations.

Thermostats

Self-acting thermostats from Clorius Controls are direct-acting and available with sensors for air or liquids. They are also available as safety thermostats for the protection of secondary pipe installations.



Pressure differential controllers

The controllers from Clorius Controls lower large and variable pump pressure to stabilize the flow in the plant.



Vendor:



Clorius Controls A/S
Tempovej 27
DK-2750 Ballerup
Denmark
Tel.: +45 77 32 31 30
Fax: +45 77 32 31 31
www.cloriuscontrols.com